


CP ACCESSORIES



SOCKET ADAPTERS
SQUARE & SPLINE DRIVE

Package Number	Qty. Pkg.	Female End Size	Male End Size
CA-46370A	4	3/8	1/2
CA-47372A	4	1/2	3/8
CA-47374A	2	1/2	5/8
CA-47376A	2	1/2	3/4
CA-48370A	1	3/4	1/2
CA-49370A	1	1	3/4
CA-48371A	1	#4 Spl.	3/4
CA-50370A	1	#5 Spl.	3/4
CA-50371A	1	#5 Spl.	#4 Spl.
CA-50372A	1	#5 Spl.	1




EXTENSION BARS
SQUARE & SPLINE DRIVE

Package Number	Qty. Pkg.	Drive	Lgth. (in.)
CA-46380A	4	3/8	3
CA-46382A	3	3/8	6
CA-47380A	3	1/2	5
CA-48380A	1	3/4	6
CA-48382A	1	3/4	10
CA-49380A	1	1	6
CA-49382A	1	1	8
CA-49384A	1	1	12
CA-48381A	1	#4 Spl.	6
CA-50382A	1	#5 Spl.	8



UNIVERSAL JOINTS
SQUARE & SPLINE DRIVE

Package Number	Qty. Pkg.	Drive
CA-46386A	4	3/8
CA-47386A	4	1/2
CA-48386A	1	3/4
CA-49386A	1	1
CA-48387A	1	#4 Spl.
CA-50386A	1	#5 Spl.




SOCKET SET CONTENTS ✦ For Demountable Rims. ♦ For Demountable Wheels.

Pkg. No.	Used w/Wrench Set	Drive	Size Across Flats (inches)
CA-46346A	720-20	3/8"	3/8, 7/16, 1/2, 9/16, 5/8, 11/16 Hex.
CA-47346A	734-33, 34 & 43; 740-41 & 43	1/2"	1/2, 9/16, 5/8, 11/16, 3/4, 13/16 Hex.
CA-47347A	740-42; 750-52; 725-27	1/2"	3/4, 13/16, 7/8, 15/16, 1, 1-1/16 Hex.
CA-47348A	750-51 & 53	1/2"	9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 Hex.
772-73		3/4"	7/8, 15/16, 1 Std. Hex.; 1-1/16, 1-1/8, 1-1/4 Thin-Wall Hex.
772-75 & 77		3/4"	3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 Hex.; 1-3/16, 1-1/2 Deep Hex.; 13/16 Sq.
772-SP-74		#4 Spl.	7/8, 15/16, 1 Spl. Hex.; 1-1/16, 1-1/8, 1-1/4 Spl. Thin-Wall Hex.; Spl. to 3/4" Sq. Adptr.
772-SP-76 & 78		#4 Spl.	3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 Spl. Hex. 1-3/16, 1-1/2 Spl. Deep Hex.; 13/16 Spl. Sq.; Spl. to 3/4" Sq. Adptr.
791-92; 793CH-92 & SH-92		1"	1-3/16, 1-1/2 Std. Hex.; 13/16 Sq.; 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 Thin-Wall Hex.; 1" to 3/4" Sq. Dr. Adptr.
793SH-95		1"	15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-7/16, 1-5/8, 1-1/2 Deep Hex.; 13/16 Sq.
791SP-94, 793CH-SP-94		#4 Spl.	7/8, 15/16, 1 Std. Hex.; 1-1/16, 1-1/8, 1-1/4 Thin-Wall Hex.
793SH-SP-94		#5 Spl.	#5 to #4 Spline Adapter; 1-3/16, 1-1/2 Spl. Hex.; 13/16 Sq.
793SH-SP-96		#5 Spl.	15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-5/8, 1-7/8 Spl. Hex.; 13/16 Sq.; Spl. to 1" Dr. Adptr.


SOCKET PIN	
Package No.	Qty. Pkg.
CA-49314A	12

PIN RETAINER	
Package No.	Qty. Pkg.
CA-49315A	12



LOK-ON ANGLE HEADS



Package Number	Qty. Pkg.	To Fit Wrenches	Drive	Dimensions (in.)	
				A	B
CA-46250A	1	CP-720	3/8	17/32	1-3/4
CA-47252A	1	CP-734-740 CP-724-725	1/2	3/4	2
CA-47253A	1	CP-740B	1/2	3/4	1-7/8
CA-47254A	1	CP-750	1/2	1	2-1/2
CA-48256A	1	CP-770	3/4	1-7/16	4-3/8
CA-48257A	1	CP-772	3/4	1-7/8	3-1/4
CA-48258A	1	CP-772 SP	#4 Spl.	1-7/8	3-1/4
CA-49258A	1	CP-793SH	1	1-7/16	4-3/8



CP-715 "BREAKER" CHISELS



Package No.	Qty. Pkg.	Description
A-49083A	1	Chisel with 3" Face
A-49082A	1	Chisel with 2" Face
A-49081A	1	Chisel Blank—3" Face (may be shaped as desired)



Filter and Moisture Separator

Pressure Regulator

Line Lubricator

FILTER/MOISTURE SEPARATOR—PRESSURE REGULATOR—LINE LUBRICATOR

By installing the illustrated water separator, regulator and line lubricator the life of the air tool is greatly increased. The water separator traps the moisture before it enters the air tool. The pressure regulator can be adjusted so that the correct air pressure enters the tool while high pressures are maintained at the compressor. The line lubricator allows the proper amount of lubrication needed for top performance.

Pkg. No.	Qty. Pkg.	Description	Pkg. No.	Qty. Pkg.
C-46360A	1	Filter/Moisture Separator	C-48360A	1
C-46361A	1	Line Lubricator	C-48361A	1
C-46362A	1	Pressure Regulator	C-48362A	1
C-46363A	3	Connector Nipple	C-48363A	3


GRINDER-ADAPTER for CP-765S SANDER



includes: Guard, 7" depressed center grinding wheel, spacers



Package No.	Quantity Pkg.
CA-48005A	1

EXTENSION SHAFT ADAPTER for CP-765S SANDER




includes: Ext. Shaft, 3-1/2" Pad. Holding Nut and 4" Disc

Package No.	Quantity Pkg.
CA-48006A	1



Chicago Pneumatic

SCREWDRIVER ATTACHMENTS



Magnetic Holder	Sq. Dr. (in.)	Hex Bit (in.)	Qty. Pkg.
CA-46200A	3/8	1/4	1
CA-46310A	3/8	5/16	1
CA-47310A	1/2	5/16	1

HEX. INSERT BITS

1/4" RECESSED HEAD

5/16" RECESSED HEAD

Point	Package No.	Description	Qty. Pkg.	Point	Package No.	Description	Qty. Pkg.
+	CA-46201A	#1 Phillips	12	+	CA-46311A	#2 Phillips	12
+	CA-46202A	#2 Phillips	12	+	CA-46312A	#3 Phillips	12
+	CA-46203A	#3 Phillips	12	+	CA-46313A	#4 Phillips	12
+	CA-46204A	Frearson #5 and smaller	6	+	CA-46314A	Frearson #6 and larger	6
+	CA-46205A	Frearson #6 and larger	6	+	CA-46315A	3/16" Clutch Head	6
				+	CA-46316A	1/4" Clutch Head	6
				+	CA-46317A	5/16" Clutch Head	6

HEX. INSERT BITS

1/4" SLOTTED HEAD

5/16" SLOTTED HEAD

Point	Package No.	Blade Thickness	Qty. Pkg.	Point	Package No.	Blade Thickness	Qty. Pkg.
+	CA-46206A	.045	6	+	CA-46318A	.045	6
+	CA-46207A	.050	6	+	CA-46319A	.050	6
+	CA-46208A	.056	6	+	CA-46320A	.056	6
				+	CA-46321A	.064	6
				+	CA-46322A	.072	6

FINDERS FOR SLOTTED SCREWS

FINDERS FOR SLOTTED HEAD SCREWS

Point	Package No.	Diameter "D"	Qty. Pkg.	Point	Package No.	Diameter "D"	Qty. Pkg.
+	CA-46209A	.3125	1	+	CA-46323A	.4062	1
+	CA-46211A	.3437	1	+	CA-46324A	.4375	1
+	CA-46213A	.375	1	+	CA-46325A	.4687	1
+	CA-46215A	.4062	1	+	CA-46326A	.500	1
+	CA-46217A	.4375	1	+	CA-46327A	.5312	1
				+	CA-46328A	.5625	1

DRILL ATTACHMENTS

THREAD-MOUNTED PLAIN BEARING JACOBS CHUCKS

Chuck Model	Symbol Number	Capacity (inches)	Thd. Mount (inches)	Key	Qty Per Pkg	Replacement For	
						Jacobs	Supreme
*1B (3/8-24)	CA-50067A	0-1/4	3/8-24	K1	1	MC1G61 MC-1 MC-2 MC1G41	B1A H1A D1A BM1A
7B (3/8-24)	CA-50073A	0-1/4	3/8-24	K7	1	---	---
7B (1/2-20)	CA-50074A	0-1/4	1/2-20	K7	1	---	---
30B (1/2-20)	CA-50079A	0-5/16	1/2-20	K30	1	---	---
*2B (3/8-24)	CA-50082A	0-3/8	3/8-24	K2	1	MC4K61 MC-4 MC-5 MC4K41	B13A H13A H2A BM13A
32B (1/2-20)	CA-50084A	0-3/8	1/2-20	K32	1	---	---
*33B (1/2-20)	CA-50090A	5/64-1/2	1/2-20	K32	1	MC8K64 MC10R64 MC-10	B14B H5B ---
33B (5/8-16)	CA-50091A	5/64-1/2	5/8-16	K32	1	---	---
34B (5/8-16)	CA-50103A	0-1/2	5/8-16	K3	1	---	---
3B (5/8-16)	CA-50111A	1/8-5/8	5/8-16	K3	1	---	---
36B (5/8-16)	CA-50115A	3/16-3/4	5/8-16	K4	1	---	---
36B (3/4-16)	CA-50116A	3/16-3/4	3/4-16	K4	1	---	---

*Indicates models furnished with threaded adapters which should be used to adapt chucks with female threads to portable tool spindles with female threads.

JACOBS DRILL CHUCK



1/2" Sq. Dr. takes
3/16" to 1/2" drills

Package Number	Qty. Pkg.
UA-47364A	1

CHUCKS



JACOBS Drill and Tap Chuck with collet and wrench


Package Number	Qty. Pkg.	Sq. Dr.	Collet Capacity
CA-46350A	1	3/8	0 to 1/4
CA-47360A	1	1/2	3/16 to 3/8
COLLETS			
CA-46351A	2	3/8	0 to 5/16
CA-47361A	2	1/2	5/16 to 1/2

KEYS



Jacobs Model	CP Symbol Number	Qty Per Pkg
KG	CA-50100A	6
KK	CA-50101A	6
KR	CA-50102A	6
K1	CA-50118A	6
K2	CA-50121A	6
K3	CA-50124A	4
K4	CA-50126A	4
K7	CA-50119A	6
K30	CA-50120A	6
K32	CA-50122A	6

RUBBER-FLEX KEY HOLDERS



Jacobs Model	CP Symbol Number	Fits Key	Qty Per Pkg
A	CA-50165A	K0 K1 K7	12
B	CA-50166A	K30 K2 K32	12
C	CA-50167A	K3	12

DISTRIBUTED BY:

CP UNIVERSAL COUPLINGS

Package No.	Qty. Pkg.	M.P.T.	
CA-49072A	4	1/2"	
Package No.	Qty. Pkg.	F.P.T.	
CA-49073A	4	1/2"	

Each coupling includes (1) CA-49074A rubber gasket.
CA-49074A — qty. per package — 10




CP-788
Air-Drill



CP-724
Electric Wrench
with Angle Head



CP-725
Electric Wrench




CP-720
Air-Wrench
with Angle Head



CP-705-20TC
Pneu-draulic Jack



CP-740B
Air-Wrench



CP-705AR
Pneu-draulic Pump



Chicago Pneumatic

6 East 44th Street • New York 17, N. Y.

SP-3294-6-MSSSS-6/64-ES
PRINTED IN U.S.A.


CP ACCESSORIES

SP-3294-6


QUICK-CHANGE COUPLERS

NOTE: Numbers in parenthesis indicate identification stamped on couplers.


M.P.T. is Male Pipe Thread F.P.T. is Female Pipe Thread					NIPPLE  M.P.T.					BODY  F.P.T.					NIPPLE  F.P.T.					
1/4" MIN. SIZE FOR CP-720, CP-788					3/8" MIN. SIZE FOR CP-712 CP-714 CP-734 CP-740 CP-750 CP-770 CP-772 CP-705 UNITS					1/2" MIN. SIZE FOR CP-791 CP-793 CP-715										
ITEM	Package No.	Qty. Per Pkg.	Cplr. Size	Thrd Size	Package No.	Qty. Per Pkg.	Cplr. Size	Thrd Size	Package No.	Qty. Per Pkg.	Cplr. Size	Thrd Size	Package No.	Qty. Per Pkg.	Cplr. Size	Thrd Size	Package No.	Qty. Per Pkg.	Cplr. Size	Thrd. Size
Coupler Body	CA-46300A (13)	3	1/4"	1/4"	CA-47300A (15C)	3	3/8"	1/4"	CA-47301A (15)	3	3/8"	3/8"	CA-49301A (17)	3	1/2"	1/2"	CA-49300A (17E)	3	1/2"	3/8"
Nipple F.P.T.	CA-46301A (3C)	6	1/4"	1/4"	CA-47302A (1E)	6	3/8"	1/4"	CA-47304A (3E)	6	3/8"	3/8"	CA-49304A (3F)	6	1/2"	1/2"	CA-49302A (1F)	6	1/2"	3/8"
Nipple M.P.T.	CA-46302A (2C)	6	1/4"	1/4"	CA-47303A (0E)	6	3/8"	1/4"	CA-47305A (2E)	6	3/8"	3/8"	CA-49305A (2F)	6	1/2"	1/2"	CA-49303A (0F)	6	1/2"	3/8"



CP-765S
Sander/Grinder



CP-765P
Polisher/Buffer



CP-765SG
Sander/Grinder

LEADER AND AIR HOSE

Package Number	Qty. Pkg.	For Air Tools	Hose Diam. (in.)	Thread Size (in.)	Hose Length (ft.)
CA-47270A	6	CP-712, CP-714 CP-734, CP-740 CP-750, CP-772	3/8	1/4	2
CA-47271A	3	CP-720, CP-712 CP-714, CP-734 CP-740, CP-750, CP-772	3/8	1/4	6
CA-49271A	1	CP-793	1/2	3/8	3
CA-49270A	1	CP-715, CP-791	1/2	1/2	2
CA-47274A	1	CP-712, CP-714	3/8	1/4	25
CA-47272A	1	CP-720, CP-734	3/8	1/4	35
CA-47273A	1	CP-740, CP-750, CP-772	3/8	1/4	50
CA-49272A	1	CP-791, CP-793	1/2	1/2	50
CA-49273A	1	CP-715	3/4	1/2	50

METAL CARRYING CASES



Package Number	Qty. Pkg.	Tool Number
A-46330A	1	CP-712
A-46330A	1	CP-714
CA-46331A	1	CP-720
CA-47365A	1	CP-734
CA-47366A	1	CP-734-2
CA-47365A	1	CP-740
CA-47366A	1	CP-740-2
CA-47366A	1	CP-750
CA-48385A	1	CP-770
CA-48388A	1	CP-772
CA-49387A	1	CP-793SH
UA-47367A	1	CP-724
UA-47367A	1	CP-725

PROTECTOR COVERS



Package Number	Qty. Pkg.	Tool Number
CA-46390A	3	CP-720
CA-47393A	3	CP-734
CA-47392A	3	CP-740
CA-47395A	3	CP-750
CA-48391A	3	CP-770
UA-47396A	2	CP-724
UA-47396A	2	CP-724-2
UA-47397A	2	CP-725

ZIP-GUN ACCESSORY CHART



Index No.	Pkg. No.	Qty. Pkg.	Description	Index No.	Pkg. No.	Qty. Pkg.	Description
1	A-46050A	6	Rivet Cutter	15	A-46073A	6	Cold Chisel
3	A-46052A	6	Bushing Splitter and Remover	16	A-46074A	6	Straight Punch
4a	A-46053A	6	#6 Piercing Punch	17	A-46075A	6	Spot Weld Splitter
4b	A-46054A	6	#8 Piercing Punch	18	A-46076A	6	Edging Chisel
4c	A-46055A	6	#10 Piercing Punch	19	A-46077A	6	Muffer Splitter
5	A-46056A	3	Bushing Dr. Mandrel 3/8" and 1/2" OD	20	A-46078A	6	Tapered Punch
6	A-46057A	3	Univ. Joint and Tie Rod Tool	22a	A-46087A	1	Rivet Set 1/8" Round
7	A-46058A	3	Bushing Installer	22b	A-46088A	1	Rivet Set 3/16" Round
8	A-46059A	1	Separator Fork	22c	A-46089A	1	Rivet Set 1/4" Round
11a	A-46066A	3	3/8" Star Drill .401 Shank	23a	A-46090A	1	Smoothing Hammer 1" Face
11b	A-46067A	3	1/2" Star Drill .401 Shank	23b	A-46091A	1	Smoothing Hammer 1-3/4" Face
11c	A-46068A	3	5/8" Star Drill .401 Shank	24	A-46092A	1	Flanging Tool with Handle
11d	A-46069A	3	3/4" Star Drill .401 Shank	25	A-46095A	6	Quick-Change Retainer
13	A-46071A	6	Twin Blade panel (pipe) cutter	26	A-46096A	4	Bee-Hive Retainer
14	A-46072A	6	Goo Scraper & Flat Chisel Blank	27	A-46330A	1	Metal Carry Case

INTERCHANGE CHART

for
CHICAGO
PNEUMATIC
ZIP-GUN
ACCESSORIES

Realize maximum
Air-Hammer value by
using CP Zip-Gun
Accessories

*WITH MODIFICATION — ADAPT STANDARD ZIP-GUN CHISELS TO SUIT YOUR NEEDS
Your requirements will suggest work-saving shapes

INDEX NO.	B & D NO.	IR NO.	SIoux NO.	SKIL NO.	SUPERIOR NO.	THOR NO.	INDEX NO.	B & D NO.	IR NO.	SIoux NO.	SKIL NO.	SUPERIOR NO.	THOR NO.
1	55420	67	2203	15228	429	—	16*	55421	68	2205	15287	425S	24871
1*	55424	66	2212	—	438	—	16*	55433	326	—	—	408	—
3	55419	77	2218	—	431	—	17	55424	—	2212	—	438	—
4a	55527	—	2251	—	—	—	17*	55420	67	2203	15288	429	—
4b	55528	—	2253	—	—	—	17*	55417	65	2201	15289	410	24870
4c	55529	—	2254	—	—	—	17*	55424	—	2212	—	438	—
6	55437	74	2217	—	433	—	17*	55421	68	2205	15287	425S	24871
7	55435	75	2219	—	434	—	18	55418	—	2214	—	410A	—
8	55436	79	—	—	432	—	19	55416	72	2213	24513	415	92428
13	55417	65	2201	15289	410	24870	20	55422	70	2206	15299	406	24872
14	55421	68	2205	15287	425S	24871	20*	55433	326	—	—	408	—
14*	55432	80	—	—	436	—	22a	55530	—	2233	15060	—	—
14*	55439	73	—	24514	426	92429	22b	55531	22	2235	15062	448	—
14*	55424	—	2212	—	438	—	22c	55532	22	—	15063	449	—
14*	55418	65	2214	—	410	—	23	55433	—	—	—	408	—
15	55428	66	2202	15282	405	24868	23*	55437	74	2217	—	433	—
15*	55432	80	—	—	436	—	24	55434	71	2212	—	435	—
15*	55424	—	2212	—	438	—	25	55438	183	2208	16118	46	—
15*	55417	65	2201	15289	410	24870	26	55533	83	2207	23660	47	—
16	55430	—	—	15416	411	92738							



CP-715
Breaker



CP-711
Zip-Scribe



CP-712
Zip-Gun



CP-714
Zip-Gun

SOCKETS

◆ Demountable Wheel Sockets

✦ Demountable Rim Sockets

Square Drive (") Spline Dr. (#)	Socket Size Across Flats (inches)	Hex. Std. Socket Pkg. No.	Qty. Pkg.	Hex. Deep Socket Pkg. No.	Deep Socket Length (inches)	Qty. Pkg.	8 Pt. Square Standard Socket Pkg. No.	Qty. Pkg.	Socket Pkg. No.	Qty. Pkg.
3/8"	3/8	CA-46012A	4	—	—	—	—	—	—	—
	7/16	CA-46014A	4	—	—	—	—	—	—	—
	1/2	CA-46016A	4	CA-46116A	1-1/2	4	—	—	—	—
	9/16	CA-46018A	4	CA-46118A	1-1/2	4	—	—	—	—
	5/8	CA-46020A	4	CA-46120A	1-1/2	4	—	—	—	—
	11/16	CA-46022A	4	CA-46122A	1-1/2	4	—	—	—	—
1/2"	3/8	CA-47012A	4	—	—	—	—	—	—	—
	7/16	CA-47014A	4	—	—	—	—	—	—	—
	1/2	CA-47016A	4	CA-47116A	3-1/4	4	CA-47216A	4	FLIP-SOCKET 3/4"-13/16" Hex. CA-47326A	4
	9/16	CA-47018A	4	CA-47118A	3-1/4	4	CA-47218A	4		
	5/8	CA-47020A	4	CA-47120A	3-1/4	4	CA-47220A	4		
	11/16	CA-47022A	4	CA-47122A	3-1/4	4	CA-47222A	4		
	3/4	CA-47024A	4	CA-47124A	3-1/4	4	CA-47224A	4		
	13/16	CA-47026A	4	CA-47126A	3-1/4	4	CA-47226A	4		
	7/8	CA-47028A	4	CA-47128A	3-1/2	4	CA-47228A	4		
	15/16	CA-47030A	4	CA-47130A	3-1/2	4	—	—		
	1	CA-47032A	4	CA-47132A	3-1/2	4	CA-47232A	3		
	1-1/16	CA-47034A	4	—	—	—	—	—		
	1-1/8	CA-47036A	4	—	—	—	—	—		
3/4"	3/4	CA-48024A	3	CA-48124A	3-1/4	1	4 Pt. Sq. Deep◆	—	Thin-Wall Hex. ✦	—
	13/16	CA-48026A	3	CA-48126A	3-1/4	1	CA-48226A	1	CA-48328A	4
	7/8	CA-48028A	3	CA-48128A	3-1/2	1	CA-48225A Std.	1	CA-48330A	4
	15/16	CA-48030A	3	CA-48130A	3-1/2	1	—	—	CA-48332A	4
	1	CA-48032A	3	CA-48132A	3-1/2	1	—	—	CA-48334A	4
	1-1/16	CA-48034A	3	CA-48134A	3-1/2	1	FLIP-SOCKET 1-1/16"-1-1/4" Hex. CA-48326A	1	CA-48336A	4
	1-1/8	CA-48036A	3	CA-48136A	3-1/2	1			CA-48340A	4
	1-3/16	—	—	CA-48138A◆	3-1/2	1	—	—	—	—
	1-1/4	CA-48040A	3	CA-48140A	3-1/2	1	—	—	—	—
	1-5/16	CA-48042A	2	CA-48142A	3-1/2	1	—	—	—	—
	1-3/8	CA-48044A	2	—	—	—	—	—	—	—
	1-7/16	CA-48046A	2	CA-48146A	3-1/2	1	—	—	—	—
	1-1/2	CA-48048A◆	1	CA-48348A◆	5	1	—	—	—	—
	3/4	CA-48025A	2	CA-48125A	3-1/4	1	4 Pt. Sq. Deep◆	—	Thin-Wall Hex. ✦	—
	13/16	CA-48027A	2	CA-48127A	3-1/4	1	CA-48227A	1	CA-48329A	2
	7/8	CA-48029A	2	CA-48129A	3-1/2	1	—	—	CA-48331A	2
	15/16	CA-48031A	2	CA-48131A	3-1/2	1	—	—	CA-48333A	2
	1	CA-48033A	2	CA-48133A	3-1/2	1	—	—	CA-48335A	2
	1-1/16	CA-48035A	2	CA-48135A	3-1/2	1	—	—	CA-48337A	2
#4	1-1/8	CA-48037A	2	CA-48137A	3-1/2	1	—	—	—	—
	1-3/16	CA-48039A	2	CA-48139A	3-1/2	1	—	—	—	—
	1-1/4	CA-48041A	2	CA-48141A	3-1/2	1	—	—	CA-48341A	2
	1-5/16	CA-48043A	1	CA-48143A	3-1/2	1	—	—	—	—
	1-3/8	CA-48045A	1	—	—	—	—	—	—	—
	1-7/16	CA-48047A	1	CA-48147A	3-1/2	1	—	—	—	—
	1-1/2	CA-48049A	1	CA-48149A	5	1	—	—	—	—
	13/16	—	—	—	—	—	4 Pt. Square (Std.) CA-49226A◆	1	—	—
	7/8	CA-49028A	1	CA-49128A	3	1	—	—	—	—
	15/16	CA-49030A	1	CA-49130A	3	1	CA-49230A◆	1	—	—
	1	CA-49032A	1	CA-49132A	3	1	—	—	—	—
	1-1/16	CA-49034A	1	CA-49134A	3	1	—	—	—	—
1"	1-1/8	CA-49036A	1	CA-49136A	3	1	—	—	—	—
	1-3/16	CA-49038A◆	1	CA-49138A◆	3	1	—	—	—	—
	1-1/4	CA-49040A	1	CA-49140A	3	1	—	—	—	—
	1-5/16	CA-49042A	1	CA-49142A	3-1/2	1	—	—	—	—
	1-3/8	CA-49044A	1	CA-49144A	3-1/2	1	—	—	—	—
	1-7/16	CA-49046A	1	CA-49146A	3-1/2	1	—	—	—	—
	1-1/2	CA-49048A◆	1	CA-49148A◆	3-1/2	1	—	—	—	—
	1-1/2	—	—	CA-49348A◆	5	1	—	—	—	—
	1-9/16	CA-49050A	1	CA-49150A	3-1/2	1	—	—	—	—
	1-5/8	CA-49052A	1	CA-49152A	3-1/2	1	—	—	—	—
	1-11/16	CA-49054A	1	CA-49154A	3-5/8	1	—	—	—	—
	1-3/4	CA-49056A◆	1	CA-49156A◆	3-5/8	1	—	—	—	—
	1-13/16	CA-49058A	1	CA-49158A	3-5/8	1	—	—	—	—
	1-7/8	CA-49060A	1	CA-49160A	3-7/8	1	—	—	—	—
	1-15/16	CA-49062A	1	CA-49162A	3-7/8	1	—	—	—	—
	13/16	—	—	—	—	—	CA-50226A	1	CP SPLINE SHANK AND SOCKET	—
	7/8	CA-50028A	1	CA-50128A	3-3/8	1	—	—		
#5	15/16	CA-50030A	1	CA-50130A	3-3/8	1	CA-50230A	1		
	1	CA-50032A	1	CA-50132A	3-3/8	1	—	—		
	1-1/16	CA-50034A	1	CA-50134A	3-3/8	1	—	—		
	1-1/8	CA-50036A	1	CA-50136A	3-5/8	1	—	—		
	1-3/16	CA-50038A	1	CA-50138A	3-5/8	1	—	—		
	1-1/4	CA-50040A	1	CA-50140A	3-3/4	1	—	—		
	1-5/16	CA-50042A	1	CA-50142A	3-3/4	1	—	—		
	1-3/8	CA-50044A	1	CA-50144A	3-3/4	1	—	—		
	1-7/16	CA-50046A	1	CA-50146A	3-7/8	1	—	—		
	1-1/2	CA-50048A	1	CA-50148A	3-7/8	1	—	—		
	1-9/16	CA-50050A	1	CA-50150A	3-7/8	1	—	—		
	1-5/8	CA-50052A	1	CA-50152A	4-1/8	1	—	—		
	1-11/16	CA-50054A	1	CA-50154A	4-1/8	1	—	—		
	1-3/4	CA-50056A	1	CA-50156A	4-1/8	1	—	—		
	1-13/16	CA-50058A	1	CA-50158A	4-3/8	1	—	—		
	1-7/8	CA-50060A	1	CA-50160A	4-3/8	1	—	—		
	1-15/16	CA-50062A	1	CA-50162A	4-3/8	1	—	—		
	2	CA-50064A	1	CA-50164A	4-1/2	1	—	—		



CP-720
Air-Wrench



CP-734
Air-Wrench



CP-740B
Air-Wrench



CP-750
Air-Wrench



CP-772
Air-Wrench



CP-793CH-SP-6
Air-Wrench



CP-793SH
Air-Wrench



Spline drive in standard or 6" extended shank is optional with CP-772, CP-791 and CP-793 Air-Wrenches. A spline shank offers greater surface-to-surface contact with socket, transmits power more efficiently, distributes wear more evenly. Less socket wear means longer life. Spline shank not weakened by ball or pin holes. Supported ring retainer permits fast, easy socket changes.

